

# LED Par Can Series

LED Par Incorporates Ø5mm Ultra Bright LEDs

## LED Par 38

### SRL-6041

Light source	Red:	60 LEDs Ø5 0.044W
	Green:	42 LEDs Ø5 0.064W
	Blue:	36 LEDs Ø5 0.064W
Total output power	7.62 W	
Control modes	DMX, Auto, Sound, M/S (Linking)	
DMX channels	5	
Channel function	Channel 1: Red intensity	
	Channel 2: Green intensity	
	Channel 3: Blue intensity	
	Channel 4: Dimmer	
	Channel 5: Strobe speed	
Built-in programs	Single color, multi-colors, rainbow, variable strobe	
Power consumption	13 W	
Voltage	AC 120/240V 50/60Hz	
Dimensions	Ø210*300 mm	
Weight	1.6 kg	

Polished Aluminum, Black, and White housings available.



Ø5 Ultra Bright LEDs



## LED Par 46

### SRL-6042

Light source	Red:	65 LEDs Ø5 0.044W
	Green:	48 LEDs Ø5 0.064W
	Blue:	39 LEDs Ø5 0.064W
Total output power	7.84 W	
Control modes	DMX, Auto, Sound, M/S (Linking)	
DMX channels	5	
Channel function	Channel 1: Red intensity	
	Channel 2: Green intensity	
	Channel 3: Blue intensity	
	Channel 4: Dimmer	
	Channel 5: Strobe speed	
Built-in programs	Single color, multi-colors, rainbow, variable strobe	
Power consumption	14 W	
Voltage	AC 120/240V 50/60Hz	
Dimensions	Ø210*300 mm	
Weight	1.6 kg	

Polished Aluminum, Black, and White housings available.



Ø5 Ultra Bright LEDs



## LED Par 56

SRL-6043-L

SRL-6043-S

Light source	Red: 75 LEDs Ø5 0.044W Green: 54 LEDs Ø5 0.064W Blue: 45 LEDs Ø5 0.064W
Total output power	9.64 W
Control modes	DMX, Auto, Sound, M/S (Linking)
DMX channels	5
Channel function	Channel 1: Red intensity Channel 2: Green intensity Channel 3: Blue intensity Channel 4: Dimmer Channel 5: Strobe speed
Built-in programs	Single color, multi-colors, rainbow, variable strobe
Power consumption	15W
Voltage	AC 120/240V 50/60Hz
Dimensions	L: Ø230*400mm / S:Ø230*300mm
Weight	L: 2.4 kg / S: 2.7 kg

Polished Aluminum, Black, and White housings available.



SRL-6043-L

SRL-6043-S



Ø5 Ultra Bright LEDs

## LED Pro Par 56

SRL-6078-L

SRL-6078-S

Light source	Red: 50 LEDs Ø10 0.044W Green: 33 LEDs Ø10 0.064W Blue: 24 LEDs Ø10 0.064W
Total output power	11 W
Control modes	DMX, Auto, Sound, M/S (Linking)
DMX channels	5
Channel function	Channel 1: Red intensity Channel 2: Green intensity Channel 3: Blue intensity Channel 4: Dimmer Channel 5: Strobe speed
Built-in programs	Single color, multi-colors, rainbow, variable strobe
Power consumption	13W
Voltage	AC 120/240V 50/60Hz
Dimensions	L: Ø230*400mm / S:Ø230*300mm
Weight	L: 2.4 kg / S: 2.7 kg

Polished Aluminum, Black, and White housings available.



SRL-6078-L

SRL-6078-S



Ø10 Ultra Bright LEDs

## LED Pro Par 56

SRL-6056-L

SRL-6056-S

Light source	Red: 8LEDs 25°/10° 1W Green: 8LEDs 25°/10° 1W Blue: 8LEDs 25°/10° 1W
Total output power	24 W
Control modes	DMX, Auto, Sound, M/S (Linking)
DMX channels	5
Channel function	Channel 1: Red intensity Channel 2: Green intensity Channel 3: Blue intensity Channel 4: Dimmer Channel 5: Strobe speed
Built-in programs	Single color, multi-colors, rainbow, variable strobe
Power consumption	35W
Voltage	AC 120-240V 50-60Hz
Dimensions	L: Ø230*400mm / S: Ø230*300mm
Weight	L: 2.9 kg / S: 2.6 kg

Polished Aluminum, Black, and White housings available.



## LED Par 64

SRL-6044-L

SRL-6044-S

Light source	Red: 80 LED Ø5 0.044W Green: 66 LED Ø5 0.064W Blue: 54 LED Ø5 0.064W
Total output power	11.2 W
Control modes	DMX, Auto, Sound, M/S (Linking)
DMX channels	5
Channel function	Channel 1: Red intensity Channel 2: Green intensity Channel 3: Blue intensity Channel 4: Dimmer Channel 5: Strobe speed
Built-in programs	Single color, multi-colors, rainbow, variable strobe
Power consumption	17W
Voltage	AC 120/240V 50/60Hz
Dimensions	L: Ø310*400mm / S: Ø310*300mm
Weight	L: 2.8 kg / S: 2.5 kg

Polished Aluminum, Black, and White housings available.



## LED Par 64

SRL-6079-L

SRL-6079-S

Light source	Red:	50 LEDs Ø10 0.044W
	Green:	39 LEDs Ø10 0.064W
	Blue:	27 LEDs Ø10 0.064W
Total output power	13 W	
Control modes	DMX, Auto, Sound, M/S (Linking)	
DMX channels	5	
Channel function	Channel 1: Red intensity	
	Channel 2: Green intensity	
	Channel 3: Blue intensity	
	Channel 4: Dimmer	
	Channel 5: Strobe speed	
Built-in programs	Single color, multi-colors, rainbow, variable strobe	
Power consumption	14W	
Voltage	AC 120/240V 50/60Hz	
Dimensions	L: Ø310*400mm / S: Ø310*300mm	
Weight	L: 2.7 kg / S: 2.4 kg	

Polished Aluminum, Black, and White housings available.



## LED Pro Par 64

SRL-6057-L

SRL-6057-S

Light source	Red:	12LEDs 25°/ 10° 1W
	Green:	12LEDs 25°/ 10° 1W
	Blue:	12LEDs 25°/ 10° 1W
Total output power	36 W	
Control modes	DMX, Auto, Sound, M/S (Linking)	
DMX channels	5	
Channel function	Channel 1: Red intensity	
	Channel 2: Green intensity	
	Channel 3: Blue intensity	
	Channel 4: Dimmer	
	Channel 5: Strobe speed	
Built-in programs	Single color, multi-colors, rainbow, variable strobe	
Power consumption	45 W	
Voltage	AC 120-240V 50-60Hz	
Dimensions	L: Ø310*400mm / S: Ø310*300mm	
Weight	L: 3.0 kg / S: 2.7 kg	

Polished Aluminum, Black, and White housings available.

