



WieDaMark ///

## 250 Strand RGBW LED Fiber Optic Star Ceiling Kit



### Technical Data

Power consumption: 13 Watts

Color: RGBW (Red, Green, Blue, and White)

Twinkle Wheel (Installed)

Light Source: 4 Three Watt LEDs (1 Red, 1 Blue, 1 Green, 1 White)

Estimated Life of LEDs: 50000 hours


Fiber Quantity: The port holds up to 400 pcs of 0.75mm fiber.

Size: L125 x W126 x H 88mm ( L 4.92 in x 5 in x 3.15 in)

Net weight of Light Engine: 0.6 Kg (1.4 lbs)

Fiber: 250 strands of either 8-32 feet long fiber optic cable. 168 fibers x 0.75mm + 48 fibers x 1.0mm + 24 fibers x 1.5mm + 10 x 2.0mm.

**Battery for the Remote:** The battery for the remote is a CR2032.






WieDaMark ///

## 250 Strand RGBW LED Fiber Optic Star Ceiling Kit

### Remote Control



Both Android and Apple phones can scan the QR code to download the app



For Apple system: go to the App Store and search for “my smartLED” to download the App  
For Android system: go to the Google Play Store and search for “my smartLED” to download the App.

Connect your Bluetooth device with the app

- Turn on Bluetooth on your mobile phone
- Power on the light engine
- Open the App on your mobile phone
- The App will automatically connect to light engine

#### Important notes

Do not connect your mobile phone manually to the light engine in your mobile phone’s Bluetooth settings


One mobile phone can connect to and control multiple light engines, but one light engine can only be connected to and controlled by one mobile phone at a time.




WieDaMark ///

## 250 Strand RGBW LED Fiber Optic Star Ceiling Kit

### Operation and modes



#### Rename connected devices in the App



#### Group devices in the App

